



## SUMA ALUPAK II P9 Aluminum Safe Dishmachine Detergent

Version Number: 1

Preparation date: 2015-07-20

### 1. IDENTIFICATION

**Product name:** SUMA ALUPAK II P9 Aluminum Safe Dishmachine Detergent  
**Product Code:** 93746086  
**SDS #:** MS0800708  
**Recommended use:**

- Industrial/Institutional
- ALUMINUM SAFE DETERGENT
- This product is intended to be diluted prior to use

**Uses advised against:** Uses other than those identified are not recommended

**Manufacturer, importer, supplier:**

US Headquarters Sealed Air 8215 Forest Point Blvd. Charlotte, NC 28273-5509 Phone: 1-888-352-2249 SDS Internet Address: <a href="https://sds.sealedair.com">https://sds.sealedair.com</a>	Canadian Headquarters Sealed Air - Canada 3755 Laird Road Mississauga, Ontario L5L 0B3 Phone: 1-800-668-7171
--	--

**Emergency telephone number:** 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

### 2. HAZARDS IDENTIFICATION

#### Classification for the undiluted product

Skin corrosion/irritation	Category 1B
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3



**Signal Word:**

**Danger.**

#### Precautionary Statements

##### CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. MAY CAUSE RESPIRATORY IRRITATION.

Causes burns/ serious damage to mouth, throat and stomach. Avoid contact with eyes, skin and clothing. Do not breathe dust. Wash affected areas thoroughly after handling. Use only in a well-ventilated area. Wear chemical-splash goggles, chemical-resistant gloves and protective footwear. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Store in a well-ventilated place. Keep container tightly closed. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION. Material can decompose releasing oxygen when damp or exposed to storage conditions greater than 120°F (49°C). See Sections 5 and 7. Do not mix with other products or chemicals except as directed on the label.

**Health hazards not otherwise classified (HHNOC)** - Not applicable  
**Physical hazards not otherwise classified (PHNOC)** - Not applicable

**Classification for the diluted product @ 1:100**

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

**Precautionary Statements**

None required.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Classified Ingredients**

Ingredient(s)	CAS #	Weight %
Sodium metasilicate	6834-92-0	40 - 50%
Sodium carbonate	497-19-8	10 - 20%
Sodium dichloroisocyanurate	2893-78-9	3% - < 5%

\*Exact percentages are being withheld as trade secret information

**4. FIRST AID MEASURES**

**Undiluted Product:**

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

**Skin:** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**Ingestion:** IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

**Notes to physician:** Treat symptomatically.

**Most Important Symptoms/Effects:** No information available.

**Immediate medical attention and special treatment needed:** Not applicable.

**Aggravated Medical Conditions:** Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

**Diluted Product:**

**Eyes:** Rinse with plenty of water. If irritation occurs and persists, get medical attention.

**Skin:** Rinse with plenty of water. If irritation occurs and persists, get medical attention.

**Inhalation:** No specific first aid measures are required.

**Ingestion:** Rinse mouth with water.

**5. FIRE-FIGHTING MEASURES**

**Specific methods:** No special methods required.

**Suitable extinguishing media:** Flood with water.

**Specific hazards:** Material can decompose releasing oxygen when damp or exposed to storage conditions greater than 120°F (49°C). Decomposition releases oxygen, which may intensify fire.

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**Extinguishing media which must not be used for safety reasons:** None.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Put on appropriate personal protective equipment (see Section 8.).

**Environmental precautions and clean-up methods:** If spilled: Sweep up and place in vented container for disposal. If material is damp or wet, do not reseal container. If possible, isolate container in open air or well ventilated area. Immediately dispose of wet or damaged packages/pallets. Flood area with large volumes of water.

## 7. HANDLING AND STORAGE

**Handling:** Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing dust. Product residue may remain on/in empty containers. Do not mix with other products or chemicals except in the dishwashing machine as directed. Reseal container to prevent moisture contamination. Do not get water inside container. If water gets into the container, do not reseal. Remove wet product from container and properly dispose of material. (See Section 6.). FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

**Storage:** Keep tightly closed in a cool, dry, well-ventilated area out of direct sunlight. Do not store with incompatible materials such as flammable, oxidizable or acidic substances. Protect from freezing. KEEP OUT OF REACH OF CHILDREN.

**Aerosol Level (if applicable):** Not applicable

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure Guidelines:

Ingredient(s)	CAS #	ACGIH	OSHA
Sodium metasilicate	6834-92-0	-	-
Sodium carbonate	497-19-8	-	-
Sodium dichloroisocyanurate	2893-78-9	-	-

### Undiluted Product:

#### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.

#### Personal Protective Equipment

**Eye protection:**

Chemical-splash goggles.

**Hand protection:**

Chemical-resistant gloves.

**Skin and body protection:**

If major exposure is possible, wear suitable protective clothing and footwear. Protective footwear.

**Respiratory protection:**

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use. In case of insufficient ventilation wear suitable respiratory equipment.

**Hygiene measures:**

Handle in accordance with good industrial hygiene and safety practice.

### Diluted Product:

#### Personal Protective Equipment

**Eye protection:**

No personal protective equipment required under normal use conditions.

**Hand protection:**

No personal protective equipment required under normal use conditions.

**Skin and body protection:**

No personal protective equipment required under normal use conditions.

**Respiratory protection:**

No personal protective equipment required under normal use conditions.

**Hygiene measures:**

Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES:

**Physical State:** Solid

**Evaporation Rate:** No information available

**Odor threshold:** No information available.

**Melting point/range:** Not determined

**Autoignition temperature:** No information available

**Solubility in other solvents:** No information available

**Density:** 9.48 lbs/gal 1.137 Kg/L

**Bulk density:** 1.137

**Flash point:** Not Applicable

**Dilution Flash Point:** > 200 °F > 93.3 °C

**Elemental Phosphorus:** 8.6 % by wt.

**pH:** Not applicable

**Dilution pH:** 12 @ 1:100

**Metal Corrosion:** Not determined

**Explosion limits:** - upper: Not determined - lower: Not determined

**Color:** Opaque, White

**Odor:** No Odor/Odorless

**Boiling point/range:** Not determined

**Decomposition temperature:** Not determined

**Solubility:** Completely Soluble

**Relative Density (relative to water):** 1.137

**Vapor density:** No information available

**Vapor pressure:** No information available.

**Partition coefficient (n-octanol/water):** No information available

**Viscosity:** No information available

**VOC:** 0.0 % \*

**VOC % by wt. at use dilution** 0 % \*

**Flammability (Solid or Gas):** Not applicable

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

## 10. STABILITY AND REACTIVITY

<b>Reactivity:</b>	Not Applicable
<b>Stability:</b>	Stable under recommended storage conditions Unstable at elevated temperatures and pressures
<b>Hazardous decomposition products:</b>	Oxygen.
<b>Materials to avoid:</b>	Acids. Strong acids. Reducing agents. Flammable materials. Do not mix with chlorinated products (such as bleach).
<b>Conditions to avoid:</b>	Strong sunlight for prolonged periods. Prolonged exposure to heat above 120 °F (49 °C). Do not get water inside container.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure:

Eye contact, Skin contact, Inhalation, Ingestion

### Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

**Skin contact:** Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed).

**Eye contact:** Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

**Ingestion:** Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea.

**Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

**Sensitization:** No known effects.

**Target Organs (SE):** None known

**Target Organs (RE):** None known

### Numerical measures of toxicity

**ATE - Oral (mg/kg):** >5000

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** No information available.

**Persistence and Degradability:** No information available.

**Bioaccumulation:** No information available.

## 13. DISPOSAL CONSIDERATIONS

**Waste from residues / unused products:** This product, as sold, if discarded or disposed, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Dispose in compliance with all Federal, state, provincial, and local laws and regulations. This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

**Contaminated Packaging:** Do not re-use empty containers.

**RCRA Hazard Class (undiluted product):** Not Applicable

**RCRA Hazard Class (diluted product):** Not Regulated

## 14. TRANSPORT INFORMATION

**DOT/TDG/IMDG:** Proper shipping descriptions can vary by pack size. Please refer to the Diversey HazMat Library, **only available through Internet Explorer**, <http://naextranet.diversey.com/dot/>, for up to date shipping information.

**DOT (Ground) Bill of Lading Description:** LTD. QTY.

**IMDG (Ocean) Bill of Lading Description:** UN3253, DISODIUM TRIOXOSILICATE MIXTURE, 8, III, LTD. QTY.

## 15. REGULATORY INFORMATION

### International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDL).

**U.S. Regulations**

**California Proposition 65:** This product is not subject to the reporting requirements under California's Proposition 65.

**RIGHT TO KNOW (RTK)**

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Sodium metasilicate	6834-92-0	-	-	-	-
Sodium tripolyphosphate	7758-29-4	X	-	X	-
Sodium carbonate	497-19-8	-	-	-	-
Sodium dichloroisocyanurate	2893-78-9	-	X	X	-
Polyoxypropylene-polyoxyethylene block copolymer	9003-11-6	-	-	-	-

**CERCLA/ SARA**

**CAA HAP/CAA ODS/CWA Priority Pollutants:** None

**SARA 311/312 Hazard Categories**

**Immediate:** X  
**Delayed:** -  
**Fire:** -  
**Reactivity:** X  
**Sudden Release of Pressure:** -

**Canadian Regulations**

**16. OTHER INFORMATION**

**NFPA (National Fire Protection Association)**

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

**Health** 3  
**Flammability** 0  
**Instability** 2

**Version Number:** 1  
**Preparation date:** 2015-07-20

**Reason for revision:** Not applicable  
**Prepared by:** NAPRAC

*Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.*