

Safety Data Sheet

73500 EXTRA STRENGTH DEGREASER & CLEANER

Section 1. Product and Company Identification

Product Name: 73500 EXTRA STRENGTH DEGRASER & CLEANER

Other Means of Identification: Not applicable

Product Use: Degreaser **Restrictions On Use:** For industrial, institutional and professional use

Company: TRI CLEAN Address: 675 Progress Avenue, Kingston, Ontario K7M OC7

Telephone: (613) 384-5331 **Fax:** (613) 384-9290

Emergency Telephone Number: 1-888-CAN-UTEC (226-8832)

Section 2. Hazards Identification

GHS Classification: Skin Corrosion - Category 1A Serious Eye Damage - Category 1

GHS Label Elements:

Hazard Statements: Causes severe skin burns and eye damage.

Danger

Harmful if swallowed.

Precautionary Statements

Hazard Pictograms:

Signal Word:

Prevention: Wear protective gloves/protective clothing/ eye protection/ face protection. Wash skin

thoroughly after handling. Do not eat, drink or smoke when using this product.

Response: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair):

Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

Wash contaminated clothing before reuse.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal: Dispose of contents and container in accordance with all local, regional, national and

international regulations.

Other Hazards: None known.

Section 3. Composition / Information on Ingredients

Pure Substance / Mixture: Mixture

Chemical NameCAS#Concentration (% by Weight)Sodium Metasilicate6834-92-01-52-butoxyethanol111-76-21-5Ethylenediaminetetraacetate, Sodium64-02-081-5Alcohols, C9, ethoxylated9002-92-01-5

Section 4. First Aid Measures

Eye Contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

Skin Contact: Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing

before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

Ingestion: Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get

medical attention immediately.

Inhalation: Remove to fresh air. Treat symptomatically. Get medical attention.

Most Important Symptoms/Effects, Acute and Delayed

Potential Acute Health Effects

Eye Contact: Causes serious eye damage.
Skin Contact: Causes severe skin burns.
Ingestion: Causes digestive tract burns.

Inhalation: May cause nose, throat, and lung irritation.

Over-Exposure Signs/Symptoms

Eye Contact: Redness, pain, watering or irritation **Skin Contact:** Redness, pain, blistering or irritation

Ingestion:Abdominal / stomach painInhalation:Respiratory irritation, cough

Indication of |Immediate Medical Attention and Special Treatment Needed, if Necessary

Notes to Physician: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have

been ingested or inhaled.

Specific Treatments: No specific treatment.

First-Aider Protection: If potential for exposure exists refer to Section 8 for specific personal protective equipment. No

action shall be taken involving any personal risk without suitable training.

See Toxicological Information (Section 11) for more detailed information on health effects and symptoms.

Section 5. Fire-Fighting Measures

Suitable Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable Extinguishing Media: None known.

Specific Hazards During Fire-fighting: Not flammable or combustible. High heat or fire may cause container to melt or burst

due to a pressure increase.

Hazardous Combustion Products: Decomposition products may include carbon oxides, nitrogen oxides, sulfur oxides,

phosphorus oxides.

Fire-Fighter Special Protective Equipment: Fire-fighters should wear appropriate protective equipment and self-contained

breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Fire-Fighter Special Precautions: Promptly isolate the scene by removing all persons from the vicinity of the incident if

there is a fire. No action shall be taken involving any personal risk without suitable training. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not

breathe fumes.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Methods and Materials for Containment and Cleaning Up

Small spill Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble.

Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste

disposal container. Dispose of via a licensed waste disposal contractor.

Large spill Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses,

basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the

spilled product. See Section 13 for additional disposal information.

Environmental Precautions

Do not allow contact with soil, surface or ground water.

Section 7. Handling and Storage

Precautions for Safe Handling

Protective Measures: Put on appropriate personal protective equipment (see Section 8).

Advice on Safe Handling: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe vapour or

mist. Use only with adequate ventilation. Wash hands thoroughly after handling. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See Section 8 for additional information on hygiene measures.

Conditions for Safe Storage: Keep out of reach of children. Keep container tightly closed. Store in suitably labelled

original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Do not store

near acids.

Section 8. Exposure Controls / Personal Protection

Components with Workplace Control Parameters

		TWA (8 hours)		STEL (15 minutes)		Ceiling					
Ingredient	List Name	ppm	mg/m ³	Other	ppm	mg/m ³	Other	ppm	mg/m ³	Other	Notations
2-butoxyethanol	US ACGIH 2/2010	20	-	-	-	-	-	-	2	-	-
	AB 4/2009	20	97	-	-	-	-	-	2	-	(3)
	BC 9/2010	20	-	-	-	-	-	-	2	-	-
	ON 7/2010	20	-	-	-	-	-	-	2	-	(1)
	QC 6/2008	20	97	-	-	2	-	-	-	-	-

⁽¹⁾ Absorbed through skin. (3) Skin sensitization.

Appropriate Engineering Controls

Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal Protective Equipment

Eye Protection: Use chemical splash goggles. For continued or severe exposure, wear a face shield.

Hand Protection: Wear chemical resistant, impervious gloves. Gloves should be discarded and replaced if there is

any indication of degradation or chemical breakthrough.

Skin Protection: Wear other protective equipment / clothing as necessary to prevent skin contact.

Respiratory Protection: When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety practice. Remove and wash

contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case

of contact or splash hazard.

Section 9. Physical and Chemical Properties

Appearance:

Physical State:
Colour:
Clear purple
Mild solvent
Odour Threshold:
No data available
pH:
11.5 – 12.5
Melting Point/Freezing Point:
No data available

Initial Boiling Point/Boiling Range: >100°C

Flash Point (Closed Cup): Not applicable. (Product does not sustain combustion.)

Evaporation Rate:
Flammability (Solid, Gas):
Upper Explosive (Flammable) Limit:
No data available

Relative Density: 1.02

Solubility: Soluble in water
Partition Coefficient (n-octanol/water): No data available
Auto-Ignition Temperature: No data available
Decomposition Temperature: No data available

Viscosity: <25 cps

Section 10. Stability and Reactivity

Reactivity:No specific test data related to reactivity available for this product or its ingredients

Chemical stability: Stable under normal conditions

Possibility of Hazardous Reactions: Under normal storage and use conditions, hazardous reactions will not occur

Conditions to Avoid: None known Incompatible Materials: Acids

Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous decomposition products should

not be produced. Decomposition products during combustion may include carbon

oxides, nitrogen oxides, sulfur oxides, phosphorus oxides.

Section 11. Toxicological Information

Information on Likely Routes of Exposure: Eye contact, Skin contact, Ingestion, Inhalation

Potential Acute Health Effects

Eye Contact: Causes serious eye damage.
Skin Contact: Causes severe skin burns.
Ingestion: Causes digestive tract burns.

Inhalation: May cause nose, throat, and lung irritation.

Symptoms Related to the Physical, Chemical and Toxicological Characteristics

Eye Contact: Redness, pain, watering or irritation **Skin Contact:** Redness, pain, blistering or irritation

Ingestion:Abdominal / stomach painInhalation:Respiratory irritation, cough

Delayed and Chronic Effects from Short and Long Term Exposure: No known significant effects or critical hazards.

Toxicity

Product Acute Oral Toxicity Estimate: > 5,000 mg/kg
Product Acute Dermal Toxicity Estimate: > 5,000 mg/kg
Product Acute Inhalation Toxicity Estimate: No data available
Aspiration Toxicity: No data available
Respiratory or Skin Sensitization: No data available

Carcinogenicity:

Reproductive Toxicity:

Mutagenicity:

Teratogenicity:

Developmental Effects:

Specific Target Organ Toxicity (single exposure):

Specific Target Organ Toxicity (repeated exposure):

No known significant effects or critical hazards

Toxicity Data for Ingredients

Ingredient	Test	Route	Result	Species
Sodium Metasilicate	LD_{50}	Oral	1153 mg/kg	Rat
	LD_{50}	Oral	>1000 mg/kg	Rat
	LD_{50}	Oral	770 mg/kg	Mouse
2-butoxyethanol	LD_{50}	Oral	320 mg/kg	Rabbit
	LD_{50}	Oral	470 mg/kg	Rat
	LC_{50}	Inhalation	2900 mg/m^3	Rat
	LC_{50}	Inhalation	450 ppm	Rat
Ethylenediaminetetraacetate, Sodium	LD_{50}	Oral	10000 mg/kg	Rat
	LD_{50}	Oral	7000 mg/kg	Rabbit
	LC_{50}	Inhalation	1.5 mg/L	Rat
Alcohols, C9, ethoxylated	LD_{50}	Dermal	72000 mg/kg	Rabbit
	LD_{50}	Oral	4150 mg/kg	Rat
	LD_{50}	Oral	8600 mg/kg	Rat

Section 12. Ecological Information

Ecotoxicity

Product/Ingredient Name	Result	Species	Exposure
2-butoxyethanol	LC50 >1000 mg/l	Daphnia - Daphnia magna	48 hours
	Acute LC50 800000 μg/l Marine water	Crustaceans - Crangon crangon	48 hours
	Acute LC50 1250000 μg/l Marine water	Fish - Menidia beryllina	96 hours
Ethylenediaminetetraacetate,	Acute LC50 760 mg/l	Fish – Bull gill sunfish	96 hours
Sodium	Acute LC50 60 mg/l	Fathead minnow	96 hours
Sodium Metasilicate	Acute LC50 210 mg/l Acute EC50 1700 mg/l EC50 (biomass) 207 mg/L EC50 (growth rate): > 345.4 mg/L	Fish (Brachydanio rerio) Invertebrates (Daphnia magna) Algae/cyanobacteria (Scenedesmus subspicatus) Algae/cyanobacteria (Scenedesmus subspicatus)	96 hours 48 hours 72 hours 72 hours
Ethoxylated lauryl alcohol	Acute LC50 10000 to 25000 μg/l Acute LC50 6460-7580 μg/l Fresh Water Acute LC50 1.4 mg/l Acute LC50 1400 μg/l Fresh Water Acute LC50 1500 μg/l Fresh Water	Crustaceans – Sphaeroma serratum Daphnia - Daphnia magna Fish Fish - Cyprinus carpio Fish - Salmo salar	48 hours 48 hours 96 hours 96 hours 96 hours

Persistance and Degradability

Product/Ingredient Name	Aquatic Half-Life	Photolysis	Biodegradability
Ethoxylated lauryl alcohol	No data available	No data available	Readily biodegradable

Bioaccumulative Potential

Ingredient Name	LogPow	BCF	Potential
2-butoxyethanol	0.81	-	Low

Mobility in Soil

No data available

Other Adverse Effects

No known significant effects or critical hazards

Section 13. Disposal Considerations

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and any local, provincial/state and federal regulations. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. Empty containers may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport Information

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land Transport (TDG)

UN Number: 1760

Proper Shipping Name: CORROSIVE LIQUID N.O.S. (Sodium silicate, EDTA)

Class: 8
Packing Group: III
Environmentally hazardous: No

Sea Transport (IMDG/IMO)

UN Number: 1760

Proper Shipping Name: CORROSIVE LIQUID N.O.S. (Sodium silicate, EDTA)

Class: 8
Packing Group: III
Marine Pollutant: No

Section 15. Regulatory Information

Canadian Domestic Substances List (DSL)

All components of this product are listed or exempted.

United States TSCA Inventory

All components of this product are listed or exempted.

Hazardous Material Information System: Health: 2 Flammability: 0 Physical Hazards: 0

National Fire Protection Association: Health: 2 Flammability: 0 Instability: 0 Special Hazard: -

Section 16. Other Information

Prepared By: Regulatory Affairs Telephone: (416) 744-0040 Date: August 8, 2016

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate at the date of its publication. However, neither the above-named manufacturer or supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.