

Safety Data Sheet

73600 GREASE TRAP CLEANER

Section 1. Product and Company Identification

Product Name: 73600 GREASE TRAP CLEANER Other Means of Identification: Not applicable

Product Use: Heavy Duty Degreaser / Drain Treatment Restrictions On Use: For industrial, institutional

and professional use

Company: TRI CLEAN Address: 675 Progress Avenue, Kingston, Ontario K7M OC7

Telephone: (613) 384-5331 **Fax:** (613) 384-9290

Emergency Telephone Number: 1-888-CAN-UTEC (226-8832)

Section 2. Hazards Identification

GHS Classification: Flammable Liquid - Category 4

Warning

Eye Irritant - Category 2A Skin Irritant - Category 2

GHS Label Elements:

Hazard Statements: Combustible liquid.

Causes serious eye irritation. Causes skin irritation.

Precautionary Statements

Hazard Pictograms:

Signal Word:

Prevention: Keep away from flames and hot surfaces. No smoking. Wash skin thoroughly after

handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/ attention. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation occurs, get medical attention. IF SWALLOWED: get medical attention if you feel unwell. IN CASE OF FIRE: Use dry sand, dry chemical or alcohol-resistant foam to

extinguish.

Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/ container to an approved waste disposal plant.

Other Hazards: None known.

Section 3. Composition / Information on Ingredients

Pure Substance / Mixture: Mixture

<u>Chemical Name</u> <u>CAS#</u> <u>Concentration (% by Weight)</u>

 d-Limonene
 5989-27-5
 15-40

 2-butoxyethanol
 111-76-2
 15-40

 Alcohols, C9, ethoxylated
 9002-92-0
 15-40

Section 4. First Aid Measures

Eye Contact: Immediately flush with plenty of cool running water. Get medical attention if irritation persists.

Skin Contact: Rinse with plenty of running water. Get medical attention if irritation persists.

Ingestion: Rinse mouth. Do not induce vomiting unless directed by medical personnel. Never give anything by mouth to an

unconscious person. Get medical attention if symptoms occur.

Inhalation: Remove to fresh air and get medical attention if symptoms occur.

Most Important Symptoms/Effects, Acute and Delayed

Potential Acute Health Effects

Eye Contact: Causes serious eye irritation. **Skin Contact:** Causes skin irritation.

Ingestion: No known significant effects or critical hazards under normal use. **Inhalation:** No known significant effects or critical hazards under normal use.

Over-Exposure Signs/Symptoms

Eye Contact: Redness / pain / irritation. **Skin Contact:** Redness / irritation.

Ingestion: No symptoms known or expected. **Inhalation:** No symptoms known or expected.

Indication of |Immediate Medical Attention and Special Treatment Needed, if Necessary

Notes to Physician: Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific Treatments: No specific treatment.

First-Aider Protection: No special precautions are necessary for first aid responders. No action shall be taken involving

any personal risk without suitable training.

See Toxicological Information (Section 11) for more detailed information on health effects and symptoms.

Section 5. Fire-Fighting Measures

Suitable Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable Extinguishing Media: High volume / solid water jet.

Specific Hazards During Fire-fighting: Fire Hazard

Keep away from heat and sources of ignition. Flash back possible over considerable distance.

Hazardous Combustion Products: Decomposition products may include carbon oxides, nitrogen oxides, sulfur oxides,

phosphorus oxides.

Fire-Fighter Special Protective Equipment: Fire-fighters should wear appropriate protective equipment and self-contained

breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Fire-Fighter Special Precautions: Promptly isolate the scene by removing all persons from the vicinity of the incident if

there is a fire. No action shall be taken involving any personal risk without suitable training. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not

breathe fumes.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

Remove all sources of ignition. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Methods and Materials for Containment and Cleaning Up

Small spill Eliminate all ignition sources if safe to do so. Stop leak if without risk. Move containers from spill area.

Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

Large spill Eliminate all ignition sources if safe to do so. Stop leak if without risk. Move containers from spill area.

Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. See Section 13 for additional disposal

information.

Environmental Precautions

Do not allow contact with soil, surface or ground water.

Section 7. Handling and Storage

Precautions for Safe Handling

Protective Measures: Put on appropriate personal protective equipment (see Section 8).

Advice on Safe Handling: Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static

electricity discharge (which might cause ignition of organic vapours). Open container carefully as content may be under pressure. Wash hands thoroughly after handling. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See Section 8 for additional information on hygiene measures.

Conditions for Safe Storage: Keep away from heat and sources of ignition. Keep out of reach of children. Keep

container tightly closed. Store in suitably labelled original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible

materials (see Section 10) and food and drink.

Section 8. Exposure Controls / Personal Protection

Components with Workplace Control Parameters

		T	WA (8 hou	rs)	STE	L (15 min	utes)		Ceiling		
Ingredient	List Name	ppm	mg/m ³	Other	ppm	mg/m ³	Other	ppm	mg/m ³	Other	Notations
2-butoxyethanol	US ACGIH 2/2010	20	-	-	-	-	-	-	2	-	-
	AB 4/2009	20	97	-	-	-	-	-	2	-	(3)
	BC 9/2010	20	-	-	-	-	-	-	2	-	-
	ON 7/2010	20	-	-	-	-	-	-	2	-	(1)
	QC 6/2008	20	97	-	-	2	-	-	-	-	-
d-Limonene	US AIHA 5/2010	30	-	-	-	-	-	-	-	-	-

⁽¹⁾ Absorbed through skin. (3) Skin sensitization.

Appropriate Engineering Controls

Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal Protective Equipment

Eye Protection: Safety glasses with side shields.

Hand Protection: Wear chemical resistant, impervious gloves. Gloves should be discarded and replaced if there is

any indication of degradation or chemical breakthrough.

Skin Protection: Wear other protective equipment / clothing as necessary to prevent skin contact.

Respiratory Protection: No special protective equipment required under normal use conditions.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety practice. See Section 7.

Section 9. Physical and Chemical Properties

Appearance:

Physical State: Liquid Clear orange

Odour: d-Limonene / Orange
Odour Threshold: No data available

pH: 5-7

Melting Point/Freezing Point : No data available

Initial Boiling Point/Boiling Range: >100°C Flash Point (Closed Cup): 74°C

Evaporation Rate:

Flammability (Solid, Gas):

Upper Explosive (Flammable) Limit:

Lower Explosive (Flammable) Limit:

Vapour Pressure:

Vapour Density:

No data available

No data available

No data available

No data available

Relative Density: 0.9

Solubility: Semi-miscible
Partition Coefficient (n-octanol/water): No data available
Auto-Ignition Temperature: No data available
Decomposition Temperature: No data available

Viscosity: <25 cps

Section 10. Stability and Reactivity

Reactivity:No specific test data related to reactivity available for this product or its ingredients

Chemical stability: Stable under normal conditions

Possibility of Hazardous Reactions: Under normal storage and use conditions, hazardous reactions will not occur

Conditions to Avoid: Heat, flames and sparks

Incompatible Materials: None known

Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous decomposition products should

not be produced. Decomposition products during combustion may include carbon

oxides, nitrogen oxides, sulfur oxides, phosphorus oxides.

Section 11. Toxicological Information

Information on Likely Routes of Exposure: Eye contact, Skin contact, Ingestion, Inhalation

Potential Acute Health Effects

Eye Contact: Causes serious eye irritation. **Skin Contact:** Causes skin irritation.

Ingestion: No known significant effects or critical hazards under normal use.

Inhalation: No known significant effects or critical hazards under normal use.

Symptoms Related to the Physical, Chemical and Toxicological Characteristics

Eye Contact: Redness / pain / irritation. **Skin Contact:** Redness / irritation.

Ingestion:No symptoms known or expected.Inhalation:No symptoms known or expected.

Delayed and Chronic Effects from Short and Long Term Exposure: No known significant effects or critical hazards.

Toxicity

Product Acute Oral Toxicity Estimate: > 5,000 mg/kg
Product Acute Dermal Toxicity Estimate: > 5,000 mg/kg
Product Acute Inhalation Toxicity Estimate: No data available
Aspiration Toxicity: No data available
Respiratory or Skin Sensitization: No data available

Carcinogenicity:

Reproductive Toxicity:

Mutagenicity:

No known significant effects or critical hazards

Mutagenicity:

No known significant effects or critical hazards

73600 GREASE TRAP CLEANER

Toxicity Data for Ingredients

Ingredient	Test	Route	Result	Species
d-Limonene	LD ₅₀ LD ₅₀	Dermal Oral	>5000 mg/kg 4400 mg/kg	Rabbit Rat
2-butoxyethanol	$\begin{array}{c} LD_{50} \\ LD_{50} \\ LC_{50} \\ LC_{50} \end{array}$	Oral Oral Inhalation Inhalation	320 mg/kg 470 mg/kg 2900 mg/m ³ 450 ppm	Rabbit Rat Rat Rat
Alcohols, C9, ethoxylated	$\begin{array}{c} \mathrm{LD_{50}} \\ \mathrm{LD_{50}} \\ \mathrm{LD_{50}} \end{array}$	Dermal Oral Oral	72000 mg/kg 4150 mg/kg 8600 mg/kg	Rabbit Rat Rat

Section 12. Ecological Information

Ecotoxicity

Product/Ingredient Name	Result	Species	Exposure
d-Limonene	Acute EC50 0.36 mg/l	Crustacea – Water flea (Daphnia magna)	48 hours
	Acute LC50 0.7 mg/l	Fish - Fathead minnow	96 hours
2-butoxyethanol	LC50 >1000 mg/l	Daphnia - Daphnia magna	48 hours
-	Acute LC50 800000 μg/l Marine water	Crustaceans - Crangon crangon	48 hours
	Acute LC50 1250000 μg/l Marine water	Fish - Menidia beryllina	96 hours
Ethoxylated lauryl alcohol	Acute LC50 10000 to 25000 μg/l	Crustaceans – Sphaeroma serratum	48 hours
· ·	Acute LC50 6460-7580 μg/l Fresh Water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1.4 mg/l	Fish	96 hours
	Acute LC50 1400 µg/l Fresh Water	Fish - Cyprinus carpio	96 hours
	Acute LC50 1500 μg/l Fresh Water	Fish - Salmo salar	96 hours

Persistance and Degradability

Product/Ingredient Name	Aquatic Half-Life	Photolysis	Biodegradability
d-Limonene	No data available	No data available	Readily biodegradable
Ethoxylated lauryl alcohol	No data available	No data available	Readily biodegradable

Bioaccumulative Potential

Ingredient Name	LogPow	BCF	Potential
2-butoxyethanol	0.81	-	Low

Mobility in Soil

No data available

Other Adverse Effects

No known significant effects or critical hazards

Section 13. Disposal Considerations

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and any local, provincial/state and federal regulations. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. Empty containers may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport Information

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land Transport (TDG)

Not classified as dangerous goods

Sea Transport (IMDG/IMO)

Not classified as dangerous goods

Section 15. Regulatory Information

Canadian Domestic Substances List (DSL)

All components of this product are listed or exempted.

United States TSCA Inventory

All components of this product are listed or exempted.

Hazardous Material Information System: Health: 2 Flammability: 1 Physical Hazards: 0

National Fire Protection Association: Health: 2 Flammability: 1 Instability: 0 Special Hazard: -

Section 16. Other Information

Prepared By: Regulatory Affairs **Telephone:** (416) 744-0040 **Date:** August 8, 2016

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate at the date of its publication. However, neither the above-named manufacturer or supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.